

Serial No. 10/829,162
Docket No. K06-169665M/TBS

2

RECEIVED
CENTRAL FAX CENTER
NOV 06 2006

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A bearing part comprising damping steel that comprises:
from 0.2% to 0.6 % by weight of C;
from ~~5.0%~~ to at least 5.0% and less than 10.0% by weight of Cr;
from 0.2% to 1.3 % by weight of Si;
from 0.09% to 0.15% by weight of N; and
Fe and impurities,
wherein the damping steel is heated for austenization, cooled in oil, treated for
subzero cooling, and tempered.
2. (Previously Presented) The bearing part according to claim 1, wherein the damping
steel is hardened to comprise a surface hardness, in terms of Rockwell C hardness, of at least
57.
- 3-5. (Canceled)

OK
to
enter

Entered
W/CE
dtd
12/7/06